

AUTHOR INDEX TO VOLUME 156

- Abdel-Raouf, M.A. and J. Ladik, Green's matrix calculations of the interface states of alternating trans polyacetylene-polytetrafluoroethylene and polyethylene-polytetrafluoroethylene chains 156 (1989) 296
- Adamowicz, L., Comment on "Determination of the relative stability of fluorocytosine tautomers with a single and double excitation coupled-cluster (CCSD) method" 156 (1989) 628
- Ahmed, M. and A.B. Callear, Rate coefficients for reaction of $C_2H_2(\tilde{a}^3B_2)$ 156 (1989) 35
- Alcaraz, C., J.M. Mestdagh, P. Meynadier, P. de Pujo, J.P. Visticot, A. Binet and J. Cuvellier, The luminescent channels of the reactions of $Ba(^1P_1)$ and $Ba(^1D_2)$ with water 156 (1989) 191
- Aleman, P. and E. Vilaseca, A Monte Carlo study of the benzene effect on the dipole moment of 1,2-dichloroethane 156 (1989) 525
- Amrein, A., see H. Bürger 156 (1989) 557
- Anderson, J.B., see V. Mohan 156 (1989) 520
- Anderson, S.M., J. Morton and K. Mauersberger, Laboratory measurements of ozone isotopomers by tunable diode laser absorption spectroscopy 156 (1989) 175
- André, J., see G. Brincourt 156 (1989) 573
- Andrew, E.R., see R. Gaspar Jr. 156 (1989) 619
- Angel, G., R. Gagel and A. Laubereau, Femtosecond relaxation dynamics in the electronic ground state of dye molecules studied by polarization-dependent amplification spectroscopy 156 (1989) 169
- Aquilanti, V. and F. Vecchiocattivi, Transport properties of open-shell systems: fine structure effects on collision integrals for oxygen and fluorine atoms with rare gases 156 (1989) 109
- Arnold, J., see V.I. Fabelinsky 156 (1989) 159
- Azria, R., L. Sanche and L. Parenteau, O^- electron stimulated desorption from O_2 in CO and N_2 matrices 156 (1989) 606
- Band, Y.B., R. Bavli and D.F. Heller, Multiphoton transitions in molecules with permanent dipole moments 156 (1989) 405
- Basterrechea, F.J., see E. Martínez 156 (1989) 564
- Bauschlicher Jr., C.W., On the electron affinity of Au_3 156 (1989) 91
- Bauschlicher Jr., C.W., On the bonding in Mn_2^+ 156 (1989) 95
- Bavli, R., see Y.B. Band 156 (1989) 405
- Bencini, A. and D. Gatteschi, $X\alpha$ -SW calculations of the electronic structure and magnetic properties of exchange-coupled transition-metal clusters. $Cu(II)$ dimers as models for CuO_2 layers in high- T_c superconductors 156 (1989) 341
- Ben-Horin, N., see U. Even 156 (1989) 138
- Bernard, J., see M. Orrit 156 (1989) 233
- Binet, A., see C. Alcaraz 156 (1989) 191
- Bofill, J.M., see P. Pulay 156 (1989) 501
- Bowman, R.M., M. Dantus and A.H. Zewail, Femtochemistry of the reaction: $IHgI^* \rightarrow [IHg...I]^{2*} \rightarrow HgI + I$ 156 (1989) 131

- Brey Jr., W.S., see R. Gaspar Jr. 156 (1989) 619
- Briggs, R.G., J.B. Halpern, G. Hancock, N. Shafizadeh, J. Rostas, J.L. Lemaire and F. Rostas, Photodissociation of D_2O in the second continuum by two-photon absorption at 266 nm 156 (1989) 363
- Brincourt, G., S. Rajab Pacha, R. Catella, Y. Zerega and J. André, Collision of SF_6 molecules with $Xe(nf)$ Rydberg atoms in a quadrupole trap. Dependence of the SF_6^- ion lifetime on n 156 (1989) 573
- Bronikowski, M.J., R. Zhang, D.J. Rakestraw and R.N. Zare, Reaction dynamics of $H+O_2$ at 1.6 eV collision energy 156 (1989) 7
- Brooks III, C.L., see D.J. Tobias 156 (1989) 256
- Brown, R.D., P.D. Godfrey, D. McNaughton and A.P. Pierlot, A study of the major gas-phase tautomer of adenine by microwave spectroscopy 156 (1989) 61
- Bruna, P.J., see J.S. Wright 156 (1989) 533
- Brunvoll, J., see S.J. Cyvin 156 (1989) 595
- Brzezinski, B., J. Olejnik, G. Zundel and R. Krämer, Intramolecular $O-Li^+...ON\equiv O^-...Li^+ON$ bonds with large Li^+ polarizability. A FTIR study 156 (1989) 213
- Budenholzer, F.E. and D.C. Jeng, Comment on "A modified LEPS potential energy surface for the $F+H_2$ reaction" by T. Takayanagi and S. Sato 156 (1989) 411
- Bulatov, V.P., see A.A. Ioffe 156 (1989) 425
- Bürger, H., A. Rahner, A. Amrein, H. Hollenstein and M. Quack, Free-jet high-resolution FTIR spectroscopy of the complex structure of the ν_1 band of CF_3I near 9 μm 156 (1989) 557
- Caillol, J.M., A method for solving the hypernetted-chain approximation for molecular fluids 156 (1989) 357
- Callear, A.B., see M. Ahmed 156 (1989) 35
- Campillo, A.J., see B.L. Justus 156 (1989) 64
- Carter, E.A., G. Ciccotti, J.T. Hynes and R. Kapral, Constrained reaction coordinate dynamics for the simulation of rare events 156 (1989) 472
- Catella, R., see G. Brincourt 156 (1989) 573
- Chandler, D.W., J.W. Thoman Jr., M.H.M. Janssen and D.H. Parker, Photofragment imaging: the 266 nm photodissociation of CH_3I 156 (1989) 151
- Chang, Y.J., S. Laneman and J.B. Hopkins, Picosecond Raman studies of solvent-assisted proton transfer to the charge transfer excited state of pentaammine (4,4'-bipyridine) ruthenium(II) 156 (1989) 421
- Cheng, P.Y. and M.A. Duncan, Vibronic spectroscopy and dynamics in the jet-cooled silver trimer, Chem. Phys. Letters 152 (1988) 341. Erratum 156 (1989) 420
- Choi, Y. and K.D. Jordan, Electron transmission spectra of carbonyl fluoride: determination of the vertical electron affinity 156 (1989) 450
- Ciccotti, G., see E.A. Carter 156 (1989) 472
- Cobb, S.H., J.R. Woodward and J.L. Gole, Continuous chemical amplification of single- and multi-mode lasers in the visible region 156 (1989) 197
- Coolbaugh, M.T., W.R. Peifer and J.F. Garvey, Ion-molecule chemistry within doubly charged ammonia clusters 156 (1989) 19
- Cooper, W.F. and W.L. Parker, Luminescent detection of Rh^+ in supported metal catalysts 156 (1989) 463
- Costa, C., see V. Magnasco 156 (1989) 585
- Creuzburg, M., F. Koch and F. Wittl, Low-temperature photolysis of hydrocarbons in solid xenon: evidence for metastable Xe_nH 156 (1989) 387
- Cuvellier, J., see C. Alcaraz 156 (1989) 191

Cyvin, B.N., see S.J. Cyvin	156 (1989) 595
Cyvin, S.J., B.N. Cyvin and J. Brunvoll, Kekulé structure counts and multiple coronoid hydrocarbons	156 (1989) 595
Dantus, M., see R.M. Bowman	156 (1989) 131
Davies, P.B., N.A. Martin, M.D. Nunes, D.A. Pape and D.K. Russell, Infrared laser absorption studies of jet-cooled nickel tetracarbonyl	156 (1989) 553
Dawes, T.D., see R.A. Goldbeck	156 (1989) 545
Dayton, D.C. and R.E. Miller, Infrared spectroscopy of the HCN-(HF) ₂ ternary complex	156 (1989) 578
Demaison, J., see J. Gadhi	156 (1989) 401
De Pujo, P., see C. Alcaraz	156 (1989) 191
De Xammar Oro, J.R., see J.R. Grigera	156 (1989) 615
Diercksen, G.H.F. and A.J. Sadlej, Interaction in halide ion-rare gas systems: the Cl ⁻ ...He interaction potential	156 (1989) 269
Doig, S.J., see P.J. Reid	156 (1989) 163
Donlon, M., see O.J. Nielsen	156 (1989) 312
Duncan, M.A., see P.Y. Cheng	156 (1989) 420
Elsaesser, T., see F. Laermer	156 (1989) 381
Eura, S., see H. Masuhara	156 (1989) 446
Even, R., J. Simon and D. Markovitsi, Optical properties of thin films of molecular semiconductors	156 (1989) 609
Even, U., N. Ben-Horin and J. Jortner, Hierarchal isomerization of molecular clusters	156 (1989) 138
Fabelinsky, V.I., G. Marowsky, V.V. Smirnov and J. Arnold, A CARS investigation of CS ₂ photofragmentation products	156 (1989) 159
Farnell, L. and J.F. Ogilvie, Comment on "Ab initio molecular orbital calculation of the methyl nitrite syn-anti isomerization potential"	156 (1989) 129
Fedrigo, S., see W.A. Saunders	156 (1989) 14
Ferguson, E.E., Reactions of NNOH ⁺ and HNNO ⁺ ions with CH ₄ and NO	156 (1989) 319
Figari, G., see V. Magnasco	156 (1989) 585
Fischer, R.A., P.L. Gertitschke, J. Manz and H.H.R. Schor, Shape, Feshbach, and "avoided crossing" resonances of the collinear F+DBr reaction	156 (1989) 100
Fleischman, S.H., see D.J. Tobias	156 (1989) 256
Foucrault, M., M. Picard and J.M. Leclercq, On the use of adapted basis sets for variational treatments of multi-well potential surfaces	156 (1989) 599
Fowler, P.W., Hyperpolarisation effects on the electric field gradient at a nucleus	156 (1989) 494
Freude, D., see J. Haase	156 (1989) 328
Fröhlich, T., see J. Haase	156 (1989) 328
Fukumura, H., see H. Masuhara	156 (1989) 446
Gadhi, J., G. Wlodarcak, J. Legrand and J. Demaison, The dipole moments of methyl bromide and methyl iodide	156 (1989) 401
Gagel, R., see G. Angel	156 (1989) 169
Garvey, J.F., see M.T. Coolbaugh	156 (1989) 19
Gaspar Jr., R., W.S. Brey Jr., A. Qiu and E.R. Andrew, Phosphorus-31 magnetic relaxation of adenosine 5'-monophosphate, adenosine 5'-diphosphate and adenosine 5'-triphosphate in solution	156 (1989) 619

Gatteschi, D., see A. Bencini	156 (1989) 341
Gertitschke, P.L., see R.A. Fischer	156 (1989) 100
Gilchrist, J. le G., Anomalous dielectric permittivity of ammonium perchlorate below 40 K	156 (1989) 76
Gillie, J.K., see I.-J. Lee	156 (1989) 227
Gillilan, R.E. and W.P. Reinhardt, Barrier recrossing in surface diffusion: a phase-space perspective	156 (1989) 478
Godfrey, P.D., see R.D. Brown	156 (1989) 61
Goldbeck, R.A., T.D. Dawes, S.J. Milder, J.W. Lewis and D.S. Kliger, Measurement of magnetic circular dichroism (MCD) on a nanosecond timescale	156 (1989) 545
Goldenberg, M.Ya., see A.A. Ioffe	156 (1989) 425
Gole, J.L., see S.H. Cobb	156 (1989) 197
Grigera, J.R., F. Vericat, G. Ruderman and J.R. de Xammar Oro, On the threshold frequency of long-range interactions in physiological solutions	156 (1989) 615
Gutman, I., On the dependence of the total π -electron energy of a benzenoid hydrocarbon on the number of Kekulé structures	156 (1989) 119
Gvishi, R. and R. Reisfeld, An investigation of the equilibrium between various forms of oxazine-170 by means of absorption and fluorescence spectroscopy	156 (1989) 181
Haase, J., D. Freude, T. Fröhlich, G. Himpel, F. Kerbe, E. Lippmaa, H. Pfeifer, P. Sarv, H. Schäfer and B. Seiffert, ^{27}Al magic-angle-spinning NMR studies of aluminium nitride ceramics	156 (1989) 328
Halpern, J.B., see R.G. Briggs	156 (1989) 363
Hammer, R., see G. Pichler	156 (1989) 467
Hancock, G., see R.G. Briggs	156 (1989) 363
Harvey, A.H. and J.M.H. Levelt Sengers, On the $\text{NaCl-H}_2\text{O}$ coexistence curve near the critical temperature of H_2O	156 (1989) 415
Hase, W.L. and X. Hu, A semi-empirical canonical variational transition state theory model for association reactions without potential energy barriers	156 (1989) 115
Heller, D.F., see Y.B. Band	156 (1989) 405
Hess, B., see Zs. Nagy-Ungvarai	156 (1989) 433
Hesselink, G.L.J., see R.A. Huijts	156 (1989) 209
Himpel, G., see J. Haase	156 (1989) 328
Hollenstein, H., see H. Bürger	156 (1989) 557
Hollenstein, H.A., see A.J. Ross	156 (1989) 455
Holmes, J.L., see C.E.C.A. Hop	156 (1989) 251
Hop, C.E.C.A., J.L. Holmes, P.J.A. Ruttink, G. Schaftenaar and J.K. Terlouw, The isomeric ions produced by the gas phase protonation of HNCO and HCNO	156 (1989) 251
Hopkins, J.B., see Y.J. Chang	156 (1989) 421
Horie, O. and G.K. Moortgat, A new transitory product in the ozonolysis of trans-2-butene at atmospheric pressure	156 (1989) 39
Horn, T.C.M., U. van Slooten and A.W. Kleyn, Observation of elementary catastrophes in surface scattering	156 (1989) 623
Hu, X., see W.L. Hase	156 (1989) 115
Huber, J.R., see A. Ticktin	156 (1989) 372
Huijts, R.A. and G.L.J. Hesselink, Length dependence of the second-order polarizability in conjugated organic molecules	156 (1989) 209
Huppert, D., see D. Pines	156 (1989) 223

Hynes, J.T., see E.A. Carter	156 (1989) 472
Ikeda, N., T. Kuroda and H. Masuhara, Dynamic attenuated total reflection UV-visible spectroscopy for surface photophysics and photochemistry	156 (1989) 204
Ioffe, A.A., V.P. Bulatov, V.A. Lozovsky, M.Ya. Goldenberg, O.M. Sarkisov and S.Ya. Umansky, On the reaction of the NH_2 radical with SO_2 at 298–363 K	156 (1989) 425
Itaya, A., see H. Masuhara	156 (1989) 446
Jalkanen, K.J., see P.J. Stephens	156 (1989) 509
Janssen, M.H.M., see D.W. Chandler	156 (1989) 151
Jeng, D.C., see F.E. Budenholzer	156 (1989) 411
Johansen, H., Analysis of the spin density for an excited triplet state of the permanganate ion	156 (1989) 592
Johnson, C.K., see I.-J. Lee	156 (1989) 227
Jordan, K.D., see Y. Choi	156 (1989) 450
Jortner, J., see U. Even	156 (1989) 138
Jouvet, C., C. Lardeux-Dedonder and D. Solgadi, Fluorescence excitation spectra of the $\text{XeCl}(\text{B}, \text{C})$ states in a supersonic jet	156 (1989) 569
Justus, B.L., C.D. Merritt and A.J. Campillo, Efficient photogeneration of triplets in shock-compressed 2,4-dinitrostilbene	156 (1989) 64
Kaiser, W., see F. Laermer	156 (1989) 381
Kapral, R., see E.A. Carter	156 (1989) 472
Kenner, R.D., S. Pfannenberger and F. Stuhl, Collisional quenching of $\text{PH}(\text{A}^3\Pi, v=0)$ at 296 and 415 K	156 (1989) 305
Kerbe, F., see J. Haase	156 (1989) 328
Kim, K.S., On effective methods to treat solvent effects in macromolecular mechanics and simulations	156 (1989) 261
Kleiber, P.D., see G. Pichler	156 (1989) 467
Kleyn, A.W., see T.C.M. Horn	156 (1989) 623
Kliger, D.S., see R.A. Goldbeck	156 (1989) 545
Knoll, W., see V. Mizrahi	156 (1989) 392
Koch, F., see M. Creuzburg	156 (1989) 387
Kocot, A. and K. Pasterny, Application of an autoregressive model for the analysis of reorientational motion in polar liquids	156 (1989) 351
Kocot, A., see K. Pasterny	156 (1989) 550
Kouri, D.J., see M. Zhao	156 (1989) 281
Krämer, R., see B. Brzezinski	156 (1989) 213
Kudo, T. and S. Nagase, Jahn–Teller distortions in SnH_4^+ and PbH_4^+	156 (1989) 289
Kuroda, T., see N. Ikeda	156 (1989) 204
Ladik, J., see M.A. Abdel-Raouf	156 (1989) 296
Laermer, F., T. Elsaesser and W. Kaiser, Ultrashort vibronic and thermal relaxation of dye molecules after femtosecond ultraviolet excitation	156 (1989) 381
Laneman, S., see Y.J. Chang	156 (1989) 421
Lardeux-Dedonder, C., see C. Jouvet	156 (1989) 569
Laubereau, A., see G. Angel	156 (1989) 169

Lazzeretti, P., see P.J. Stephens	156 (1989) 509
Leclercq, J.M., see M. Foucault	156 (1989) 599
Lee, I.-J., J.K. Gillie and C.K. Johnson, Photochemical hole burning in bacteriorhodopsin	156 (1989) 227
Legrand, J., see J. Gadhi	156 (1989) 401
Lemaire, J.L., see R.G. Briggs	156 (1989) 363
Le Nadan, A., G. Sinou and F. Tuffin, An investigation of the kinetic energy of the ions produced by interaction of helium and neon metastables with carbon monoxide	156 (1989) 24
Levelt Sengers, J.M.H., see A.H. Harvey	156 (1989) 415
Lewis, J.W., see R.A. Goldbeck	156 (1989) 545
Lin, Y., see N.S. Sullivan	156 (1989) 218
Lindgren, M., see L. Sjöqvist	156 (1989) 323
Lippmaa, E., see J. Haase	156 (1989) 328
Lozovsky, V.A., see A.A. Ioffe	156 (1989) 425
Lund, A., see L. Sjöqvist	156 (1989) 323
Lyra, A.M., see G. Pichler	156 (1989) 467
Magnasco, V., C. Costa and G. Figari, Long-range second-order interactions and the shape of the He-HF and Ne-HF complexes	156 (1989) 585
Manz, J., see R.A. Fischer	156 (1989) 100
Markovitsi, D., see R. Even	156 (1989) 609
Maroulis, G. and A.J. Thakkar, Hyperpolarizabilities and polarizabilities of neon: discrepancy between theory and experiment	156 (1989) 87
Marowsky, G., see V.I. Fabelinsky	156 (1989) 159
Marquardt, R.R., see A.J. Ross	156 (1989) 455
Martin, N.A., see P.B. Davies	156 (1989) 553
Martínez, E., P. Puyuelo, F.J. Basterrechea and M.T. Martínez, Radiative lifetime of the $\text{Te}_2 \text{A}(0_0^+)$ state studied by laser-induced fluorescence	156 (1989) 564
Martínez, M.T., see E. Martínez	156 (1989) 564
Masuhara, H., see N. Ikeda	156 (1989) 204
Masuhara, H., S. Eura, H. Fukumura and A. Itaya, Laser ablation dynamics of poly(N-vinylcarbazole) film as revealed by time-resolved fluorescence spectroscopy	156 (1989) 446
Mathies, R.A., see P.J. Reid	156 (1989) 163
Mauersberger, K., see S.M. Anderson	156 (1989) 175
McCurdy, C.W., see S.D. Parker	156 (1989) 483
McCurdy, K.E., see J. Wormhoudt	156 (1989) 47
McNaughton, D., see R.D. Brown	156 (1989) 61
Menz, D.-H., see G. Scholz	156 (1989) 125
Merritt, C.D., see B.L. Justus	156 (1989) 64
Mestdagh, J.M., see C. Alcaraz	156 (1989) 191
Meynadier, P., see C. Alcaraz	156 (1989) 191
Michels, H.H., see G. Pichler	156 (1989) 467
Milder, S.J., see R.A. Goldbeck	156 (1989) 545
Miller, R.E., see D.C. Dayton	156 (1989) 578
Miyawaki, J., see K. Yamanouchi	156 (1989) 301
Mizrahi, V., G.I. Stegeman and W. Knoll, Anisotropic orientation distribution in polycrystalline Langmuir-Blodgett monolayers revealed by second-harmonic generation	156 (1989) 392
Möbius, D., see M. Orrit	156 (1989) 233

- Mohan, V. and J.B. Anderson, Effect of crystallite shape on exciton energy: quantum Monte Carlo calculations 156 (1989) 520
- Mons, H.E., see W.H.E. Schwarz 156 (1989) 275
- Moortgat, G.K., see O. Horie 156 (1989) 39
- Morton, J., see S.M. Anderson 156 (1989) 175
- Müller, S.C., see Zs. Nagy-Ungvarai 156 (1989) 433
- Nagase, S., see T. Kudo 156 (1989) 289
- Nagy-Ungvarai, Zs., S.C. Müller and B. Hess, Spatial patterns in the Briggs-Rauscher reaction 156 (1989) 433
- Nakashima, N., see N. Shimo 156 (1989) 31
- Narayanan, K., G. Ullas and S.B. Rai, One- and two-photon optogalvanic spectrum of Ne: 610–730 nm 156 (1989) 55
- Ng, C.Y., see K. Norwood 156 (1989) 145
- Nicolai, N., see C. Rossi 156 (1989) 438
- Nicolaides, C.A., see P. Valtazanos 156 (1989) 240
- Nielsen, O.J., H.W. Sidebottom, D.J. O'Farrell, M. Donlon and J. Treacy, Rate constants for the gas-phase reactions of OH radicals and Cl atoms with $\text{CH}_3\text{CH}_2\text{NO}_2$, $\text{CH}_3\text{CH}_2\text{CH}_2\text{NO}_2$, and $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{NO}_2$ 156 (1989) 312
- Norwood, K. and C.Y. Ng, Photoion-photoelectron coincidence spectroscopy of the transient molecules SO and S_2O 156 (1989) 145
- Nunes, M.D., see P.B. Davies 156 (1989) 553
- O'Farrell, D.J., see O.J. Nielsen 156 (1989) 312
- Ogilvie, J.F., see L. Farnell 156 (1989) 129
- Ohta, K., Flux analysis of electron and spin transfer processes 156 (1989) 368
- Olejník, J., see B. Brzezinski 156 (1989) 213
- Orrit, M., J. Bernard and D. Möbius, Hole burning of an ionic dye in a Langmuir-Blodgett monolayer 156 (1989) 233
- Ortiz, J.V., An electron propagator study of bonding in aminoborane 156 (1989) 489
- Pape, D.A., see P.B. Davies 156 (1989) 553
- Parenteau, L., see R. Azria 156 (1989) 606
- Parker, D.H., see D.W. Chandler 156 (1989) 151
- Parker, S.D. and C.W. McCurdy, Propagation of wave packets using the complex basis function method 156 (1989) 483
- Parker, W.L., see W.F. Cooper 156 (1989) 463
- Pasterny, K., see A. Kocot 156 (1989) 351
- Pasterny, K. and A. Kocot, A comparison between the confined rotator model and experimental orientational correlation functions for N_2O dissolved in liquid SF_6 156 (1989) 550
- Peifer, W.R., see M.T. Coolbaugh 156 (1989) 19
- Pfannenberger, S., see R.D. Kenner 156 (1989) 305
- Pfeifer, H., see J. Haase 156 (1989) 328
- Picard, M., see M. Focault 156 (1989) 599
- Pichler, G., A.M. Lyyra, P.D. Kleiber, W.C. Stwalley, R. Hammer, K.M. Sando and H.H. Michels, Laser-induced chemiluminescence of the LiMg excimer 156 (1989) 467
- Pierlot, A.P., see R.D. Brown 156 (1989) 61
- Pines, D. and D. Huppert, Fractal surface of porous materials as revealed by electronic energy transfer: comparison of silica gels and controlled-pore glasses 156 (1989) 223

- Pitzer, K.S. and J.C. Tanger IV, Critical exponents for the coexistence curves for NaCl-H₂O near the critical temperature of H₂O 156 (1989) 418
- Podgornik, R., Forces between surfaces with surface-specific interactions in a dilute electrolyte 156 (1989) 71
- Poirier, R.A. and A. Yadav, An ab initio study of the conformational change around the 6-s-bond in a retinal analogue 156 (1989) 122
- Postma, R., P.J.A. Ruttink, J.H. van Lenthe and J.K. Terlouw, The role of hydrogen-bridged radical cations in the dissociation of ionized glycolaldehyde [HOCH₂CHO]⁺⁺ 156 (1989) 245
- Powles, J.G. and M.L. Williams, A new and double isosbestic point 156 (1989) 543
- Pulay, P. and J.M. Boffill, Natural charge densities for the evaluation of MC-SCF energy derivatives without density matrix transformation 156 (1989) 501
- Puri, A., see K.D. Sen 156 (1989) 505
- Puyuelo, P., see E. Martinez 156 (1989) 564
- Pyykkö, P., Ab initio study of bonding trends among the 22-electron A=B=A systems: evidence for O=O=O²⁺ 156 (1989) 337
- Qiu, A., see R. Gaspar Jr. 156 (1989) 619
- Quack, M., see A.J. Ross 156 (1989) 455
- Quack, M., see H. Bürger 156 (1989) 557
- Rahner, A., see H. Bürger 156 (1989) 557
- Rai, S.B., see K. Narayanan 156 (1989) 55
- Rajab Pacha, S., see G. Brincourt 156 (1989) 573
- Rakestraw, D.J., see M.J. Bronikowski 156 (1989) 7
- Ramondo, F., Structures and stabilities of LiNO₂ and NaNO₂ ion pairs: an ab initio SCF study 156 (1989) 346
- Reid, P.J., S.J. Doig and R.A. Mathies, Direct measurement of the photochemical ring opening in 1,3-cyclohexadiene by picosecond time-resolved UV resonance Raman 156 (1989) 163
- Reinhardt, W.P., see R.E. Gillilan 156 (1989) 478
- Reisfeld, R., see R. Gvishi 156 (1989) 181
- Ross, A.J., H.A. Hollenstein, R.R. Marquardt and M. Quack, Fermi resonance in the overtone spectra of the CH chromophore in bromoform 156 (1989) 455
- Rossi, C. and N. Nicolai, Determination of proton-carbon cross-relaxation from selective proton-carbon spin-lattice relaxation rates and heteronuclear transient NOE 156 (1989) 438
- Rostas, F., see R.G. Briggs 156 (1989) 363
- Rostas, J., see R.G. Briggs 156 (1989) 363
- Ruderman, G., see J.R. Grigera 156 (1989) 615
- Russell, D.K., see P.B. Davies 156 (1989) 553
- Ruttink, P.J.A., see R. Postma 156 (1989) 245
- Ruttink, P.J.A., see C.E.C.A. Hop 156 (1989) 251
- Sadlej, A.J., see G.H.F. Dierksen 156 (1989) 269
- Sanche, L., see R. Azria 156 (1989) 606
- Sando, K.M., see G. Pichler 156 (1989) 467
- Sarkisov, O.M., see A.A. Ioffe 156 (1989) 425
- Sarv, P., see J. Haase 156 (1989) 328
- Sauer, J., see G. Scholz 156 (1989) 125

Saunders, W.A. and S. Fedrigo, Fission of small multiply charged gold clusters	156 (1989) 14
Schäfer, H., see J. Haase	156 (1989) 328
Schaftenaar, G., see C.E.C.A. Hop	156 (1989) 251
Scholz, G., J. Sauer and D.-H. Menz, The HF-AlF ₃ gas-phase complex: an ab initio molecular orbital study	156 (1989) 125
Schor, H.H.R., see R.A. Fischer	156 (1989) 100
Schuler, R.H., see G.N.R. Tripathi	156 (1989) 51
Schwarz, H., see D. Sülzle	156 (1989) 397
Schwarz, W.H.E. and H.E. Mons, Electron deformation densities compatible with chemical binding	156 (1989) 275
Schwenke, D.W., see M. Zhao	156 (1989) 281
Seiffert, B., see J. Haase	156 (1989) 328
Sen, K.D. and A. Puri, Relativistic local spin density functional calculations of dipole oscillator strengths in alkaline earth isoelectronic series	156 (1989) 505
Shafizadeh, N., see R.G. Briggs	156 (1989) 363
Shimo, N., N. Nakashima and K. Yoshihara, Laser-ignited explosive decomposition of organometallic compounds	156 (1989) 31
Shin, H.K., Intramolecular dynamics of energy flow between van der Waals bonds in a collisionally excited Ar...N=N...Ar	156 (1989) 536
Sidebottom, H.W., see O.J. Nielsen	156 (1989) 312
Simandiras, E.D., see P. Valtazanos	156 (1989) 240
Simon, J., see R. Even	156 (1989) 609
Sinou, G., see A. Le Nadan	156 (1989) 24
Sjöqvist, L., M. Lindgren and A. Lund, Internal motion of the cyclopentyl radical in CF ₂ ClCFCl ₂ : an ESR investigation	156 (1989) 323
Smirnov, V.V., see V.I. Fabelinsky	156 (1989) 159
Solgadi, D., see C. Jouvet	156 (1989) 569
Stegeman, G.I., see V. Mizrahi	156 (1989) 392
Stephens, P.J., K.J. Jalkanen, P. Lazzeretti and R. Zanasi, Calculation of paramagnetic susceptibilities using electronic atomic axial tensors (or nuclear shielding tensors) and the distributed origin gauge: ethylene oxide	156 (1989) 509
Stuhl, F., see R.D. Kenner	156 (1989) 305
Stwalley, W.C., see G. Pichler	156 (1989) 467
Sullivan, N.S. and Y. Lin, Relaxation and large-scale excitations in the orientational glass state of solid H ₂	156 (1989) 218
Sülzle, D. and H. Schwarz, The generation and identification of triplet vinylidene, [H ₂ C=C]:, by neutralization-reionization mass spectrometry	156 (1989) 397
Sun, Q., see G.N.R. Tripathi	156 (1989) 51
Sun, Y., see M. Zhao	156 (1989) 281
Tanger IV, J.C., see K.S. Pitzer	156 (1989) 418
Terlouw, J.K., see R. Postma	156 (1989) 245
Terlouw, J.K., see C.E.C.A. Hop	156 (1989) 251
Thakkar, A.J., see G. Maroulis	156 (1989) 87
Thoman Jr., J.W., see D.W. Chandler	156 (1989) 151
Ticktin, A. and J.R. Huber, Fourier transform Doppler spectroscopy of the photodissociation of polyatomic molecules: energy pair correlations and velocity distributions	156 (1989) 372

Tobias, D.J., C.L. Brooks III and S.H. Fleischman, Conformational flexibility in free energy simulations	156 (1989) 256
Treacy, J., see O.J. Nielsen	156 (1989) 312
Tripathi, G.N.R., Q. Sun and R.H. Schuler, Resonance enhancement of the non-totally symmetric vibrations in the Raman spectra of para-benzosemiquinone radical anion	156 (1989) 51
Truhlar, D.G., see M. Zhao	156 (1989) 281
Tsuchiya, S., see K. Yamanouchi	156 (1989) 301
Tsuchizawa, T., see K. Yamanouchi	156 (1989) 301
Tuffin, F., see A. Le Nadan	156 (1989) 24
Ullas, G., see K. Narayanan	156 (1989) 55
Umansky, S.Ya., see A.A. Ioffe	156 (1989) 425
Valtazanos, P., E.D. Simandiras and C.A. Nicolaides, Structure and vibrational analysis of protonated hydrogen peroxide	156 (1989) 240
Van Lenthe, J.H., see R. Postma	156 (1989) 245
Van Slooten, U., see T.C.M. Horn	156 (1989) 623
Vecchiocattivi, F., see V. Aquilanti	156 (1989) 109
Vericat, F., see J.R. Grigera	156 (1989) 615
Vilaseca, E., see P. Alemany	156 (1989) 525
Visticot, J.P., see C. Alcaraz	156 (1989) 191
Williams, M.L., see J.G. Powles	156 (1989) 543
Wittl, F., see M. Creuzburg	156 (1989) 387
Wlodarcak, G., see J. Gadhi	156 (1989) 401
Woodward, J.R., see S.H. Cobb	156 (1989) 197
Wormhoudt, J. and K.E. McCurdy, A measurement of the strength of the ν_2 band of CH_3	156 (1989) 47
Wright, J.S. and P.J. Bruna, Strongly bound doubly excited states of diatomic molecules	156 (1989) 533
Wu, K.T., Interfragment effect in the predissociative excitation of linear triatomic molecules	156 (1989) 187
Wu, X. and S. Zhang, Selective polarization inversion and depolarization of ^{13}C in cross relaxation in NMR	156 (1989) 79
Wu, X., see S. Zhang	156 (1989) 82
Wu, X., see S. Zhang	156 (1989) 333
Yadav, A., see R.A. Poirier	156 (1989) 122
Yamanouchi, K., T. Tsuchizawa, J. Miyawaki and S. Tsuchiya, Experimental evidence for Rydberg and ion-pair state mixing of Cl_2 in the $^1\Sigma_u^+$ state	156 (1989) 301
Yoshihara, K., see N. Shimo	156 (1989) 31
Zanasi, R., see P.J. Stephens	156 (1989) 509
Zare, R.N., Photofragment angular distributions from oriented symmetric-top precursor molecules	156 (1989) 1
Zare, R.N., see M.J. Bronikowski	156 (1989) 7
Zerega, Y., see G. Brincourt	156 (1989) 573
Zewail, A.H., see R.M. Bowman	156 (1989) 131
Zhang, R., see M.J. Bronikowski	156 (1989) 7
Zhang, S., see X. Wu	156 (1989) 79

Zhang, S. and X. Wu, Windowless solid echo	156 (1989) 82
Zhang, S. and X. Wu, A new model for cross polarization in the rotating frame in solids	156 (1989) 333
Zhao, M., D.G. Truhlar, D.J. Kouri, Y. Sun and D.W. Schwenke, Quantum mechanical interference effects on vibrational excitation in the reaction $D+H_2 \rightarrow HD+H$: delay times and dependence of the vibrational enhancement on angular momentum	156 (1989) 281
Zundel, G., see B. Brzezinski	156 (1989) 213

INSTRUCTIONS TO AUTHORS

Letters are intended as brief reports of significant, original and timely research results in the field of chemical physics which warrant rapid publication. In considering the suitability of a manuscript for publication, the editors pay particular attention to the originality of the research, the desirability of speedy publication, and the validity of the conclusions.

Submission: Contributions, written in English, should be sent to one of the editors or, preferably, to a member of the advisory editorial board who is familiar with the research reported who will transmit the manuscript with recommendations to the editors. All manuscripts should be submitted in triplicate, of which one is a clear copy with master figures (see below).

The full addresses of the members of the Advisory Editorial Board will be found at the beginning of every volume.

Refereeing: All contributions submitted will be refereed. The editors reserve the right to reject manuscripts and to edit contributions when necessary.

Comments section: The editors welcome comments on Letters published in the Journal or elsewhere. They will be placed in a separate section. Comments will be refereed as usual and treated as normal contributions. All Comments should have an abstract.

Publication speed: The editors and publishers cooperate closely to ensure minimal publication delays. All proofreading will be done by the publishers and proofs are not sent to the author(s). If the manuscript submitted cannot be processed immediately because scientific revisions are required or because of the author's failure to meet the length and stylistic requirements (see below), the delay thus resulting will be indicated by the addition of the date of receipt of the manuscript *in final form*.

Publication scheme: Chemical Physics Letters will be published weekly.

Page charge and reprints: There is no page charge. Reprints may be ordered from the publisher; an order form is sent to contributors upon acceptance of their Letter.

Copyright transfer: Upon acceptance of an article, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Correspondence: All correspondence with the editors or publishers should contain full reference to the paper concerned, i.e. the names of all the authors, the full title, as well as the date of submission. Once the contribution has been accepted for publication, all further correspondence should be sent directly to the publishers and not to the editors (Drs. M.D. Nauta, Editorial Department, North-Holland Physics Publishing, P.O. Box 103, 1000 AC Amsterdam, The Netherlands; telephone number (020)-5862629 or 31-20-5862629 for international access, FAX (020)-5862580 or 31-20-5862580 for international access, telex number 10704 espom nl, electronic mail: Dialcom/Tgold/Memocom System 27:ESX 010).

Preparation of manuscripts: The following are the stylistic requirements for an acceptable manuscript.

- (1) *Title:* The title should be brief (normally less than 20 words) and yet convey to the informed reader the nature of the contents of the paper.
- (2) *Address:* The name(s) of the author(s) and the name and address of the institute where the research work was done should be indicated on the manuscript. The name of the author to whom correspondence is to be addressed should be underlined.
- (3) *Abstract:* An abstract of length not to exceed 100 words is required. It should contain the keywords of the paper as well as the essence of the results.
- (4) *Length:* Manuscripts should normally not exceed the equivalent of 2500 words including tables, plus references and figure captions, and no more than five figures. They should be typed double-spaced with a wide margin. All pages should be numbered.
- (5) *Symbols and Units:* The use of SI units is strongly recommended. Authors will find the "green book" – Quantities, units and symbols in physical chemistry, prepared by I. Mills, T. Cvitas, K. Homann, N. Kallay and K. Kuchitsu (Blackwell Scientific Publications, for IUPAC, Oxford, 1988) – a useful guide.
- (6) *Figures:* The drawings for the figures should be of high contrast and carefully lettered and submitted on separate sheets. The lettering as well as the essential details should have proportionate dimensions so as to be legible after the usual reduction by the printers (ideal lettering size after reduction of the drawing to one-column width is 1.8 mm). The drawings should preferably be of the same size as the typescript and designed for a reduction factor in print of two or three. Each drawing should have a figure number and a caption; the captions should be collected on a separate sheet. The appropriate place of each figure in the text should be indicated in the margin.
- (7) *Colour illustrations:* Illustrations in colour will be accepted where the use of colours is essential for the presentation. The decision on this rests with the Editor. The Publisher and the Author will each bear part of the extra costs involved. These arise from (a) the need to prepare colour-separated printing films by means of scanning the original colour figures (figure processing costs), and (b) the need to print four colours (printing costs). The figure processing costs are typically on a per figure basis. Printing costs are independent of the number of colour illustrations per page, but are dependent on the number of pages containing colour figures. Authors will be billed in Dutch Guilders (Dfl.) according to the following rates: printing costs are Dfl. 1200 for the first page and Dfl. 200 for additional pages; figure processing costs are Dfl. 200 per figure. Where combined scanning can be used, the cost is reduced by 15% (if two figures are combined) up to more than 50% (if eight figures are combined). For computer colour prints involving no more than four colours and no differentiation of shades, no figure processing costs will be charged if colour-separated originals are submitted. On each such original, register marks must be clearly indicated so as to ensure exact positioning of each colour when printing. There will be no additional charge for reprints containing colour illustrations. Colour illustrations should be submitted as original colour photographs, transparencies, or 35 mm slides. Polaroid colour prints are not suitable. Please submit colour photographs and transparencies close to the size expected in publication.
- (8) *Formulae:* Displayed formulae should be numbered and typed or clearly and unambiguously written by hand. Symbols requiring bold-face type, like vectors, etc., should be identified properly in the margin of the manuscript. Long equations should be avoided as much as possible by introduction of suitable abbreviations of component expressions. Special attention should be paid to symbols that can easily be misread, such as *i* (lower case), *I* (cap.), *l* (el), *1* (one), ' (prime), *o* (lower case), *O* (cap.), *0* (zero), ° (degree), *u*, *v* (vee), *ν* (Greek nu), *V* (cap.), *x*, *X*, *z*, *Z*, *p*, *P*, *ρ* (Greek rho), etc.
- (9) *Tables:* Tables should be typed on separate sheets and each table should have a number and a title. The appropriate places for the insertion of the tables should be indicated in the margin.

- (10) *References*: In the text, reference to other parts of the paper should be made by section (or equation) number, not by page number. References to other papers should be consecutively numbered in the text and should be listed numerically on a separate sheet at the end of the paper. The references should be as complete as possible and be presented as follows:

For a book:

A. Messiah, Quantum mechanics, Vol. 2 (North-Holland, Amsterdam, 1970).

For a paper in a journal:

I. Kaplan and J. Jortner, Chem. Phys. 32 (1978) 381.

For a paper in a contributed volume:

G.L. Hofacker, Y. Maréchal and M. Ratner, in: The hydrogen bond, Vol. 1, eds. P. Schuster, G. Zundel and C. Sandorfy (North-Holland, Amsterdam, 1976) p. 295.

For an unpublished paper:

R.L. Swofford, Ph.D. Thesis, University of California, Berkeley (1973) p. 76.

- (11) *Footnotes*: Footnotes should normally have no extensive use of mathematical symbols. They should be placed in the text where required and used sparingly.

Intermolecular Complexes

The Role of van der Waals Systems in Physical Chemistry and in the Biodisciplines

by **P. Hobza**, *Institute of Hygiene and Epidemiology*, and **R. Zahradník**, *Institute of Physical Chemistry and Electrochemistry of the Czechoslovak Academy of Sciences, Prague, Czechoslovakia*

(Studies in Physical and Theoretical Chemistry, 52)

Intermolecular complexes play an important role in physical chemistry, molecular physics and, especially, in the biodisciplines. In the early 1980s, rapid and significant progress was made in both experimental and theoretical investigations of molecular interactions - a fact which encouraged the authors to prepare this monograph.

The coverage is comprehensive, ranging from theory to experiment, from interactions of small systems to very large systems, as well as interactions of large numbers of systems, and from chemical to biological applications.

The book is written for students and scientists working in various areas of chemistry, biology and physics. Readers will benefit from the fact that quantum and other theories of molecular interactions, experimental

investigations of molecular interactions, and applications in physical chemistry and biodisciplines are consistently covered within a single book. Different computational techniques are analysed and concrete recommendations of computational strategy made for the treatment of van der Waals systems of various size.

Contents: I. Introduction. II. Methods of Calculating Weak Interactions. III. Experimental Methods Yielding Information on Weak Intermolecular Interactions. IV. Applications in Molecular Physics and Chemistry. V. Applications in the Biodisciplines. References. Appendix. Index.

1988 308 pages
US\$ 129.00 / Dfl. 245.00
ISBN 0-444-98943-9



ELSEVIER SCIENCE PUBLISHERS

P.O. Box 211, 1000 AE Amsterdam, The Netherlands
P.O. Box 882, Madison Square Station, New York, NY 10159, USA

An interdisciplinary
journal of research
on excited state
processes in condensed matter.

JOURNAL OF LUMINESCENCE

Editor:

M.D. STURGE

Associate editors:

F. Auzel
G. Blasse
R.G. Denning
M.D. Fayer
Z.R. Grabowski
H. Haug
W. Hayes
R.M. Hochstrasser
G.F. Imbusch
A.A. Kaplyanskii
R.S. Knox
T. Koda
D.S. McClure
E. Rashba
S. Shionoya
H.P. Trommsdorff
A.T. Vink
M.J. Weber
C. Weisbuch
D.A. Wiersma
U.P. Wild
H.C. Wolf
W.M. Yen

FORTHCOMING PAPERS IN:

Volume 43, No. 2, April 1989

Review paper

- | | |
|---|-----|
| Fluorescence studies of polymer dynamics
H. Morawetz | 59 |
| Optical line shapes of dimers under the influence of dichotomic coloured noise
B. Kaiser, A.M. Jayannavar and P. Reineker | 73 |
| Position-dependent effects of internal heavy atoms on highly resolved electronic spectra and luminescence properties of some quinoxalines substituted at the homocyclic ring
A. Lewanowicz, J. Lipiński, Z. Ruziewicz, A. Szymczak and J. Szykarczuk | 85 |
| Emission spectra of S_2^- , Se_2^- , and SeS^{-1} centres. Results from more alkali halides
H. Fabian and F. Fischer | 103 |
| Energy transfer between Tb^{3+} and Tm^{3+} in a lead silicate glass
M. Bettinelli and G. Ingletto | 115 |
| Excitonic photoluminescence properties of InSe
K. Imai | 121 |

For more information and/or a free inspection copy please contact the publisher.



NORTH-HOLLAND PHYSICS PUBLISHING

P.O. BOX 103, 1000 AC, AMSTERDAM, THE NETHERLANDS

In the U.S.A. and Canada: Elsevier Science Publishing Co. Inc, 52 Vanderbilt Ave., New York, NY 10017

CHEMICAL PHYSICS LETTERS

Volume 156, number 6, 21 April 1989

CONTENTS (continued)

Phosphorus-31 magnetic relaxation of adenosine 5'-monophosphate, adenosine 5'-diphosphate and adenosine 5'-triphosphate in solution R. Gaspar Jr., W.S. Brey Jr., A. Qiu and E.R. Andrew	619
Observation of elementary catastrophes in surface scattering T.C.M. Horn, U. van Slooten and A.W. Kleyn	623
<i>Comment</i>	
Comment on "Determination of the relative stability of fluorocytosine tautomers with a single and double excitation coupled-cluster (CCSD) method" L. Adamowicz	628
Author index	629
Instructions to authors	640

CHEMICAL PHYSICS LETTERS

Volume 156, number 6, 21 April 1989

CONTENTS

Measurement of magnetic circular dichroism (MCD) on a nanosecond timescale R.A. Goldbeck, T.D. Dawes, S.J. Milder, J.W. Lewis and D.S. Kliger	545
A comparison between the confined rotator model and experimental orientational correlation functions for N ₂ O dissolved in liquid SF ₆ K. Pasterny and A. Kocot	550
Infrared laser absorption studies of jet-cooled nickel tetracarbonyl P.B. Davies, N.A. Martin, M.D. Nunes, D.A. Pape and D.K. Russell	553
Free-jet high-resolution FTIR spectroscopy of the complex structure of the ν_1 band of CF ₃ I near 9 μ m H. Burger, A. Rahner, A. Amrein, H. Hollenstein and M. Quack	557
Radiative lifetime of the Te ₂ A(0 _u ⁺) state studied by laser-induced fluorescence E. Martinez, P. Puyuelo, F.J. Basterrechea and M.T. Martınez	564
Fluorescence excitation spectra of the XeCl(B, C) states in a supersonic jet C. Jouvet, C. Lardeux-Dedonder and D. Solgadi	569
Collision of SF ₆ molecules with Xe(<i>nf</i>) Rydberg atoms in a quadrupole trap. Dependence of the SF ₆ ⁻ ion lifetime on <i>n</i> G. Brincourt, S. Rajab Pacha, R. Catella, Y. Zerega and J. Andre	573
Infrared spectroscopy of the HCN-(HF) ₂ ternary complex D.C. Dayton and R.E. Miller	578
Long-range second-order interactions and the shape of the He-HF and Ne-HF complexes V. Magnasco, C. Costa and G. Figari	585
Analysis of the spin density for an excited triplet state of the permanganate ion H. Johansen	592
Kekule structure counts and multiple coronoid hydrocarbons S.J. Cyvin, B.N. Cyvin and J. Brunvoll	595
On the use of adapted basis sets for variational treatments of multi-well potential surfaces M. Foucrault, M. Picard and J.M. Leclercq	599
O ⁻ electron stimulated desorption from O ₂ in CO and N ₂ matrices R. Azria, L. Sanche and L. Parenteau	606
Optical properties of thin films of molecular semiconductors R. Even, J. Simon and D. Markovitsi	609
On the threshold frequency of long-range interactions in physiological solutions J.R. Grigera, F. Vericat, G. Ruderman and J.R. de Xammar Oro	615

For forthcoming papers in the Journal of Luminescence refer to the last page of this issue.

Continued on page 3 of cover

